

## Author Index of Volume 149

---

Adrianova, M. P., 121  
Altounian, Z., L5  
Aritomi, N., 41

Bhanu Sankara Rao, K., L9  
Brooks, J. A., 65

Chang, S. T., 129  
Chen, B. Y., 195  
Cheng, J. X., 195  
Choi, S. R., 259  
Chou, C.-C., 95  
Chou, C. C., 73  
Ciha, K., 105  
Cohen, J. B., 167

Deevi, S. C., 241  
Dey, R. M., 173

Estrin, Y., 29  
Eswara Prasad, N., L1

Faudot, F., 85  
Fint, J. A., 225

Gaffet, E., 85  
Garrison Jr., W. M., 65

Hanada, S., 183  
Harmelin, M., 85  
Honma, K., 41  
Hsu, S. E., 129  
Hsueh, C.-H., 1, 11

Jiang, Q., 111

Kamat, S. V., L1  
Kashyap, B. P., L13  
Krotz, P. D., 225  
Kryukova, G. N., 121

L'Espérance, G., 203  
Le Caer, G., 135  
Lewandowski, J. J., 143  
Litvak, G. S., 121  
Liu, H.-H., 217  
Luck, R., 111

Machová, A., 153  
Malakondaiah, G., L1  
Mannan, S. L., L9  
Mao, M., L5  
Matteazzi, P., 135  
Mecking, H., 29  
Million, B., 105  
Miyahara, Y., 19  
Mohan Rao, M., 231  
Mondal, D. K., 177  
Monzen, R., 53  
Mori, T., 53  
Murty, B. S., 231

Ogawa, K., 41  
Osipov, V. V., L17  
Ostroushko, A. A., L17

Paton, N. E., 225  
Pavlovsky, J., 105  
Predel, B., 111

Quadfasel, U., 29

Ranganath, S., 253  
Ranganathan, S., 231  
Rigney, J. D., 143

Sadykov, V. A., 121  
Sakuma, T., 59  
Salem, J. A., 259  
Sandhya, R., L9  
Sato, K., 41  
Shen, P., 217  
Shi, Y. W., 199  
Shueh, Y., 221  
Shuravljova, L. J., 517  
Shute, C. J., 167  
Smith, J. F., 111  
Solovyeva, L. P., 121  
St-Laurent, S., 203  
Stoloff, N. S., 19  
Stransky, K., 105  
Subrahmanyam, J., 253

Takasugi, T., 183  
Tangri, K., L13  
Tsujimoto, T., 41  
Tsybulya, S. V., 121

Valsan, M., L9  
Vijayakumar, M., 253

Watanabe, S., 183  
Wayman, C. M., 73, 95  
Weng, B. J., 129

Yang, F.-S., 217  
Yang, K., 129  
Yoshizawa, Y.-I., 59  
Yuen, J. L., 225

## Subject Index of Volume 149

- Acicular ferrite  
effects of chemistry, density and size distribution of inclusions on the nucleation of acicular ferrite of C-Mn steel shielded-metal-arc-welding weldments, 203
- Alloys  
aging of Au-Fe alloys and microstructure evolution, 73  
 $C_p$  and fractal phase transformation in the shape memory alloy Ni-52Ti, 111  
crystal-to-amorphous phase transition induced by mechanical alloying in the Ge-Si system, 85  
electron diffraction investigation of diffuse reflections in Au-Fe alloys, 95  
comparison of mode I and mode II fracture toughness of an 8090 Al-Li alloy, L1  
morphology of  $\alpha_2$  phase in  $\gamma$ -TiAl-base alloy ingots, 41
- Alumina  
grain growth acceleration during high temperature deformation in high purity alumina, 59
- Aluminium  
continuous and cyclic stress relaxation in aluminium, 29  
fracture toughness of monolithic nickel aluminide intermetallics, 143  
comparison of mode I and mode II fracture toughness of an 8090 Al-Li alloy, L1  
morphology of  $\alpha_2$  phase in  $\gamma$ -TiAl-base alloy ingots, 41  
stress relaxation in Al-Cu thin films, 167  
the temperature and orientation dependence of tensile deformation and fracture in NiAl single crystals, 183
- Amorphization  
solid state amorphization in binary Ti-Ni, Ti-Cu and ternary Ti-Ni-Cu system by mechanical alloying, 231
- Austenite  
carbon redistribution between an austenitic cladding and a ferritic steel for pressure vessels of a nuclear reactor, 105  
the thermal and mechanical stability of austenite in the low carbon martensitic steel PH 13-8, 65
- Avrami exponent  
accurate determination of the Avrami exponent in phase transformations, L5
- Ball milling  
reduction of haematite with carbon by room temperature ball milling, 135
- Base metal  
high temperature, low cycle fatigue behaviour of AISI type 316LN base metal, 316LN-316 weld joint and 316 all-weld metal, L9
- Boron  
combustion-assisted synthesis of Ti-TiB-TiC composite via the casting route, 253
- Carbon  
carbon redistribution between an austenitic cladding and a ferritic steel for pressure vessels of a nuclear reactor, 105  
combustion-assisted synthesis of Ti-TiB-TiC composite via the casting route, 253
- effect of grain size on the microstructure and mechanical properties of a C-Mn-V dual-phase steel, 173  
effects of chemistry, density and size distribution of inclusions on the nucleation of acicular ferrite of C-Mn steel shielded-metal-arc-welding weldments, 203  
high cycle fatigue behavior of Fe-Cr-Mn-C and Ni-Mo-Al aligned eutectics, 19  
reduction of haematite with carbon by room temperature ball milling, 135
- Casting  
combustion-assisted synthesis of Ti-TiB-TiC composite via the casting route, 253
- Ceramics  
structure and properties of  $Si_3N_4$ - $SiO_2$  ceramics using an organic precursor, 129
- Chromium  
high cycle fatigue behavior of Fe-Cr-Mn-C and Ni-Mo-Al aligned eutectics, 19
- Cobalt  
some special properties of  $La_{1-x}Sr_x-CoO_{3-y}$  films fabricated by the spray pyrolysis method, L17
- Combustion  
combustion-assisted synthesis of Ti-TiB-TiC composite via the casting route, 253  
diffusional reactions in the combustion synthesis of  $MoSi_2$ , 241
- Composites  
interfacial debonding and fiber pull-out stresses of fiber-reinforced composites. Part V. With a viscous interface, 1  
interfacial debonding and fiber pull-out stresses of fiber-reinforced composites. Part VI. Interpretation of fiber pull-out curves, 11
- Continuous stress  
continuous and cyclic stress relaxation in aluminium, 29
- Copper  
effect of thermal aging on Cu-Nb microcomposites, 225  
solid state amorphization in binary Ti-Ni, Ti-Cu and ternary Ti-Ni-Cu system by mechanical alloying, 231  
stress relaxation in Al-Cu thin films, 167
- Crack growth  
slow crack growth of indent cracks in glass with and without applied stress, 259
- Cracks  
slow crack growth of indent cracks in glass with and without applied stress, 259
- Crystals  
crystal-to-amorphous phase transition induced by mechanical alloying in the Ge-Si system, 85  
the temperature and orientation dependence of tensile deformation and fracture in NiAl single crystals, 183
- Cyclic stress  
continuous and cyclic stress relaxation in aluminium, 29
- Debonding  
interfacial debonding and fiber pull-out stresses of fiber-reinforced composites. Part V. With a viscous interface, 1

- Deformation
  - grain growth acceleration during high temperature deformation in high purity alumina, 59
- Diffuse reflections
  - electron diffraction investigation of diffuse reflections in Au-Fe alloys, 95
- Diffusion
  - diffusional reactions in the combustion synthesis of MoSi<sub>2</sub>, 241
- Dual-phase steel
  - effect of grain size on the microstructure and mechanical properties of a C-Mn-V dual-phase steel, 173
- Ductility
  - the effect of stress state on the ductility and the critical extent of void growth in nodular cast iron, 195
- Elastic distortion
  - relaxation of elastic distortion caused by particle-blocked grain boundary sliding, 53
- Electron diffraction
  - electron diffraction investigation of diffuse reflections in Au-Fe alloys, 95
- Enamel-steel interface
  - microstructure of the enamel-steel interface: cross-sectional TEM and metallographic studies, 217
- Eutectics
  - high cycle fatigue behavior of Fe-Cr-Mn-C and Ni-Mo-Al aligned eutectics, 19
- Fatigue
  - high cycle fatigue behavior of Fe-Cr-Mn-C and Ni-Mo-Al aligned eutectics, 19
  - high temperature, low cycle fatigue behaviour of AISI type 316LN base metal, 316LN-316 weld joint and 316 all-weld metal, L9
- Fibre-reinforcement
  - interfacial debonding and fiber pull-out stresses of fiber-reinforced composites. Part V. With a viscous interface, 1
  - interfacial debonding and fiber pull-out stresses of fiber-reinforced composites. Part VI. Interpretation of fiber pull-out curves, 11
- Fibres
  - interfacial debonding and fiber pull-out stresses of fiber-reinforced composites. Part V. With a viscous interface, 1
  - interfacial debonding and fiber pull-out stresses of fiber-reinforced composites. Part VI. Interpretation of fiber pull-out curves, 11
- Films
  - some special properties of La<sub>1-x</sub>Sr<sub>x</sub>-CoO<sub>3-y</sub> films fabricated by the spray pyrolysis method, L17
- Fracture
  - comparison of mode I and mode II fracture toughness of an 8090 Al-Li alloy, L1
- Fracture toughness
  - fracture toughness of monolithic nickel aluminide intermetallics, 143
- Germanium
  - crystal-to-amorphous phase transition induced by mechanical alloying in the Ge-Si system, 85
- Glass
  - slow crack growth of indent cracks in glass with and without applied stress, 259
- Goethite
  - effect of heat treatment on microstructure evolution of haematite derived from synthetic goethite, 121
- Gold
  - aging of Au-Fe alloys and microstructure evolution, 73
  - electron diffraction investigation of diffuse reflections in Au-Fe alloys, 95
- Grain boundary sliding
  - relaxation of elastic distortion caused by particle-blocked grain boundary sliding, 53
- Grain growth
  - grain growth acceleration during high temperature deformation in high purity alumina, 59
  - grain growth behaviour of type 316L stainless steel, L13
- Grain size
  - effect of grain size on the microstructure and mechanical properties of a C-Mn-V dual-phase steel, 173
- Haematite
  - effect of heat treatment on microstructure evolution of haematite derived from synthetic goethite, 121
  - reduction of haematite with carbon by room temperature ball milling, 135
- Heat treatment
  - effect of heat treatment on microstructure evolution of haematite derived from synthetic goethite, 121
- Impact loading
  - molecular dynamic simulation of microcrack initiation by impact loading, 153
- Interfaces
  - interfacial debonding and fiber pull-out stresses of fiber-reinforced composites. Part V. With a viscous interface, 1
  - interfacial debonding and fiber pull-out stresses of fiber-reinforced composites. Part VI. Interpretation of fiber pull-out curves, 11
- Intermetallics
  - fracture toughness of monolithic nickel aluminide intermetallics, 143
- Iron
  - aging of Au-Fe alloys and microstructure evolution, 73
  - electron diffraction investigation of diffuse reflections in Au-Fe alloys, 95
  - high cycle fatigue behavior of Fe-Cr-Mn-C and Ni-Mo-Al aligned eutectics, 19
  - the effect of stress state on the ductility and the critical extent of void growth in nodular cast iron, 195
- Lanthanum
  - some special properties of La<sub>1-x</sub>Sr<sub>x</sub>-CoO<sub>3-y</sub> films fabricated by the spray pyrolysis method, L17
- Lithium
  - comparison of mode I and mode II fracture toughness of an 8090 Al-Li alloy, L1
- Manganese
  - effect of grain size on the microstructure and mechanical properties of a C-Mn-V dual-phase steel, 173
  - effects of chemistry, density and size distribution of inclusions on the nucleation of acicular ferrite of C-Mn steel shielded-metal-arc-welding weldments, 203
  - high cycle fatigue behavior of Fe-Cr-Mn-C and Ni-Mo-Al aligned eutectics, 19



- Martensite**  
the thermal and mechanical stability of austenite in the low carbon martensitic steel PH 13-8, 65
- Mechanical alloying**  
crystal-to-amorphous phase transition induced by mechanical alloying in the Ge-Si system, 85  
solid state amorphization in binary Ti-Ni, Ti-Cu and ternary Ti-Ni-Cu system by mechanical alloying, 231
- Mechanical stability**  
the thermal and mechanical stability of austenite in the low carbon martensitic steel PH 13-8, 65
- Metallographic studies**  
microstructure of the enamel-steel interface: cross-sectional TEM and metallographic studies, 217
- Microcomposites**  
effect of thermal aging on Cu-Nb microcomposites, 225
- Microcrack**  
molecular dynamic simulation of microcrack initiation by impact loading, 153
- Microstructure**  
effect of grain size on the microstructure and mechanical properties of a C-Mn-V dual-phase steel, 173
- Molecular dynamic simulation**  
molecular dynamic simulation of microcrack initiation by impact loading, 153
- Molybdenum**  
diffusional reactions in the combustion synthesis of MoSi<sub>2</sub>, 241
- Nickel**  
C<sub>p</sub> and fractal phase transformation in the shape memory alloy Ni-52Ti, 111  
fracture toughness of monolithic nickel aluminide intermetallics, 143  
solid state amorphization in binary Ti-Ni, Ti-Cu and ternary Ti-Ni-Cu system by mechanical alloying, 231  
the temperature and orientation dependence of tensile deformation and fracture in NiAl single crystals, 183
- Niobium**  
effect of thermal aging on Cu-Nb microcomposites, 225
- Nitrogen**  
structure and properties of Si<sub>3</sub>N<sub>4</sub>-SiO<sub>2</sub> ceramics using an organic precursor, 129
- Nuclear reactor**  
carbon redistribution between an austenitic cladding and a ferritic steel for pressure vessels of a nuclear reactor, 105
- Nucleation**  
effects of chemistry, density and size distribution of inclusions on the nucleation of acicular ferrite of C-Mn steel shielded-metal-arc-welding weldments, 203
- Organics**  
structure and properties of Si<sub>3</sub>N<sub>4</sub>-SiO<sub>2</sub> ceramics using an organic precursor, 129
- Orientation**  
the temperature and orientation dependence of tensile deformation and fracture in NiAl single crystals, 183
- Oxygen**  
some special properties of La<sub>1-x</sub>Sr<sub>x</sub>-CoO<sub>3-y</sub> films fabricated by the spray pyrolysis method, L17  
structure and properties of Si<sub>3</sub>N<sub>4</sub>-SiO<sub>2</sub> ceramics using an organic precursor, 129
- Phase transformation**  
accurate determination of the Avrami exponent in phase transformations, L5
- Phase transformations**  
C<sub>p</sub> and fractal phase transformation in the shape memory alloy Ni-52Ti, 111
- Phase transitions**  
crystal-to-amorphous phase transition induced by mechanical alloying in the Ge-Si system, 85
- Silicon**  
crystal-to-amorphous phase transition induced by mechanical alloying in the Ge-Si system, 85  
diffusional reactions in the combustion synthesis of MoSi<sub>2</sub>, 241  
structure and properties of Si<sub>3</sub>N<sub>4</sub>-SiO<sub>2</sub> ceramics using an organic precursor, 129
- Spray pyrolysis method**  
some special properties of La<sub>1-x</sub>Sr<sub>x</sub>-CoO<sub>3-y</sub> films fabricated by the spray pyrolysis method, L17
- Stainless steel**  
grain growth behaviour of type 316L stainless steel, L13
- Steel**  
carbon redistribution between an austenitic cladding and a ferritic steel for pressure vessels of a nuclear reactor, 105  
effects of chemistry, density and size distribution of inclusions on the nucleation of acicular ferrite of C-Mn steel shielded-metal-arc-welding weldments, 203  
the thermal and mechanical stability of austenite in the low carbon martensitic steel PH 13-8, 65
- Stress**  
interfacial debonding and fiber pull-out stresses of fiber-reinforced composites. Part V. With a viscous interface, 1  
interfacial debonding and fiber pull-out stresses of fiber-reinforced composites. Part VI. Interpretation of fiber pull-out curves, 11  
slow crack growth of indent cracks in glass with and without applied stress, 259
- Stress relaxation**  
stress relaxation in Al-Cu thin films, 167
- Stress state**  
the effect of stress state on the ductility and the critical extent of void growth in nodular cast iron, 195
- Strontium**  
some special properties of La<sub>1-x</sub>Sr<sub>x</sub>-CoO<sub>3-y</sub> films fabricated by the spray pyrolysis method, L17
- Synthesis**  
combustion-assisted synthesis of Ti-TiB-TiC composite via the casting route, 253  
diffusional reactions in the combustion synthesis of MoSi<sub>2</sub>, 245
- Temperature**  
high temperature, low cycle fatigue behaviour of AISI type 316LN base metal, 316LN-316 weld joint and 316 all-weld metal, L9  
the temperature and orientation dependence of tensile deformation and fracture in NiAl single crystals, 183
- Tensile deformation**  
the temperature and orientation dependence of tensile deformation and fracture in NiAl single crystals, 183
- Thermal aging**  
effect of thermal aging on Cu-Nb microcomposites, 225
- Thermal stability**  
the thermal and mechanical stability of austenite in the low carbon martensitic steel PH 13-8, 65
- Thin films**  
stress relaxation in Al-Cu thin films, 167

**Titanium**

combustion-assisted synthesis of Ti-TiB-TiC composite via the casting route, 253

$C_p$  and fractal phase transformation in the shape memory alloy Ni-52Ti, 111

morphology of  $\alpha_2$  phase in  $\gamma$ -TiAl-base alloy ingots, 41

solid state amorphization in binary Ti-Ni, Ti-Cu and ternary Ti-Ni-Cu system by mechanical alloying, 231

**Transmission electron microscopy**

microstructure of the enamel-steel interface: cross-sectional TEM and metallographic studies, 217

**Vanadium**

effect of grain size on the microstructure and mechanical

properties of a C-Mn-V dual-phase steel, 173

**Void growth**

the effect of stress state on the ductility and the critical extent of void growth in nodular cast iron, 195

**Weld**

effects of chemistry, density and size distribution of inclusions on the nucleation of acicular ferrite of C-Mn steel shielded-metal-arc-welding weldments, 203

high temperature, low cycle fatigue behaviour of AISI type 316LN base metal, 316LN-316 weld joint and 316 all-weld metal, L9

